

GE Value LED Lamp Line

Every day value and performance perfect for basic LED lighting applications.



Application illustration only, subject lamps not used in photo.

NEW 50,000 hour
LED Tube



In addition to GE's premium LED Lamps, there is now a value offering with basic performance to meet the needs of ultra-competitive projects.

The offering consists of high-volume LED lamps including LED Tubes, Bright Stik™, BR30, PAR38, PAR30, MR16.

Performance at a Value

- Many Energy Star rated
- 15,000 to 50,000 hr. life

Quality & Reliability






GE branded and warrantied offering


Ultra-Competitive

Rivals many basic performance providers

Value LED Lamps-Product Codes and Specifications



Lamp Type	Base Type	Watts	PC	Description	Volts	Case Qty	MOL (in)	Lumens	CBCP	Color Temp.	CRI	Watt Replacement	Rated Life Hours L70	Dimmable	Energy Star	Location	Additional Info	
Bright Stik™ 	Med	5.5	66256	LED5.5LS3/827	120	48	4.45	450		2700	80	40W	15,000	-	★	Damp	Case = 16 3-pack	
			75177	LED5.5LS3/850	120	48	4.45	450		5000	80	40W	15,000	-	★	Damp	Case = 16 3-pack	
		9	75184	LED9LS3/827	120	48	4.45	800		2700	80	60W	15,000	-	★	Damp	Case = 16 3-pack	
			75588	LED9LS3/850	120	48	4.45	800		5000	80	60W	15,000	-	★	Damp	Case = 16 3-pack	
		12	75590	LED12LS2/827	120	32	4.45	1100		2700	80	75W	15,000	-	★	Damp	Case = 16 2-pack	
			75591	LED12LS2/850	120	32	4.45	1100		5000	80	75W	15,000	-	★	Damp	Case = 16 2-pack	
		15	75593	LED15LS2/827	120	32	4.45	1600		2700	80	100W	15,000	-	★	Damp	Case = 16 2-pack	
75644	LED15LS2/850		120	32	4.45	1600		5000	80	100W	15,000	-	★	Damp	Case = 16 2-pack			
BR30 	MED	10	68160	LED10DR303/827W	120	6	5.4	700		2700	80	65W	25,000	Yes	★	Damp	Frosted, White body	
			68161	LED10DR303/830W	120	6	5.4	700		3000	80	65W	25,000	Yes	★	Damp	Frosted, White body	
			69107	LED10DR303/850W	120	6	5.4	700		5000	80	65W	25,000	Yes	★	Damp	Frosted, White body	
			43234	LED10DR30V/827W	120	3	5.37	650		2700	80	65W	15,000	Yes	-	Damp	Frosted, White body	
			43237	LED10DR30V/830W	120	3	5.37	650		3000	80	65W	15,000	Yes	-	Damp	Frosted, White body	
			43241	LED10DR30V/850W	120	3	5.37	650		5000	80	65W	15,000	Yes	-	Damp	Frosted, White body	
MR16 Value 	GU5.3	5.5	35542	LED5.5DMR1684035	12	6	1.8	460	1100	4000	80	35W	25,000	Yes	★	Damp	Flood, 35° beam, White	
			35535	LED5.5DMR1683035	12	6	1.88	420	1000	3000	80	35W	25,000	Yes	★	Damp	Flood, 35° beam, White	
			35540	LED5.5DMR1682735	12	6	1.88	400	1000	2700	80	35W	25,000	Yes	★	Damp	Flood, 35° beam, White	
			7	20165	LED7XDMR16-32725	12	6	1.86	500	2350	2700	80	50W	25,000	Yes	★	Damp	Narrow 25° beam, White
				20168	LED7XDMR16-32735	12	6	1.86	500	1350	2700	80	50W	25,000	Yes	★	Damp	Flood, 35° beam, White
			20156	LED7XDMR16-38325	12	6	1.86	500	2350	3000	80	50W	25,000	Yes	★	Damp	Narrow 25° beam, White	
			20157	LED7XDMR16-38335	12	6	1.86	500	1350	3000	80	50W	25,000	Yes	★	Damp	Flood, 35° beam, White	
PAR30 	MED	12	98755	LED12DP303W83035	120	6	3.66	950	2600	3000	80	75W	25,000	Yes	★	Damp	Flood, 35° beam, White, STIR	
			98811	LED12DP3L3W83035	120	6	4.61	950	2600	3000	80	75W	25,000	Yes	★	Damp	Accent, 35° beam, White, STIR	
PAR38 	MED	15	32213	LED15DP38W830/40	120	6	5.04	1300	2300	3000	81	90W	25,000	Yes	★	Wet	Flood, 40° beam, White, STIR	

Lamp Type	Bulb	Watts	PC	Description	Base	QTY	MOL (in)	Initial Lumens	Color Temp.	CRI	Watt Replacement	Rated Life Hours L70	DLC	UL	Location Rating	Comments
Type A Value LED Tubes-Glass 4'																
T8 	G13	11.5	93107390	LED11ET8/G/4/830		20	48	1600	3000K	80+		50,000	Pending	Yes	Damp	Instant or PRS Ballast
	G13	11.5	93107391	LED11ET8/G/4/835		20	48	1600	3500K	80+		50,000	Pending	Yes	Damp	Instant or PRS Ballast
	G13	11.5	93107392	LED11ET8/G/4/840		20	48	1650	4000K	80+		50,000	Pending	Yes	Damp	Instant or PRS Ballast
	G13	11.5	93107393	LED11ET8/G/4/850		20	48	1700	5000K	80+		50,000	Pending	Yes	Damp	Instant or PRS Ballast
	G13	14	34283	LED14ET8/G/4/830		20	48	1950	3000K	80+		50,000	Yes	Yes	Damp	Instant or PRS Ballast
	G13	14	34289	LED14ET8/G/4/835		20	48	2000	3500K	80+		50,000	Yes	Yes	Damp	Instant or PRS Ballast
	G13	14	34291	LED14ET8/G/4/840		20	48	2000	4000K	80+		50,000	Yes	Yes	Damp	Instant or PRS Ballast
	G13	14	34300	LED14ET8/G/4/850		20	48	2050	5000K	80+		50,000	Yes	Yes	Damp	Instant or PRS Ballast